



Transient Cardiomyopathy

Transient cardiomyopathies are acute, temporary heart muscle impairments where the heart muscle does not pump properly. This can cause congestive heart failure with shortness of breath, fatigue and limitation of activity. When the heart heals, the condition is resolved. Cardiomyopathy may become chronic and stable or may become progressive leading to early death. Three common causes of transient cardiomyopathy are viral infections, takotsubo cardiomyopathy and peripartum cardiomyopathy.

Viral infections can cause cardiomyopathy. In some cases, the impairment heals when the infection resolves. You may also review *Rx for Success* "Dilated Cardiomyopathy."

Takotsubo Cardiomyopathy is brought on by significant stress, such as the death of a spouse. It is also called Stress Cardiomyopathy or Broken Heart Syndrome. Several cases of this rare cardiomyopathy have been found in Japan and more recently in the United States and Belgium. Cases occur more frequently in women. It may be due to an acute change in glucose metabolism brought on by stress-induced release of steroid hormones. Troponin levels and other markers of cell death in the blood typically rise. ST- T injury changes may also be seen on the ECG.

In Japanese, "tako-tsubo" means "fishing pot for trapping octopus". This pot has a bulging chamber at the bottom. Frequently, the left ventricle (LV) in this condition has the shape of this pot with a bulge at the apex of the heart. Coronary arteries at catheterization are normal, and thus, CAD is not the cause. With resolution of the cardiomyopathy, LV wall motion returns to normal as does the shape of the LV. The mid ventricular wall may also be affected.

Although it appears to be reversible, little is known about future consequences (such as recurrence of the cardiomyopathy or arrhythmias). Cases seem to resolve quickly with good outcomes, but there are no long-term studies.

Peripartum cardiomyopathy occurs in the last trimester of pregnancy or within six months. It is thought to be an autoimmune disease in which the baby's antibodies attack the woman's heart muscles. It is rare. It is treated with bed rest and medication. In some, it is transient while others develop congestive failure. If severe, heart transplantation is needed. In women who recover, cardiomyopathy may recur with subsequent pregnancies.

This material is designed to provide general information in regard to the subject matter covered. It should be used with the understanding that we are not rendering legal, accounting or tax advice. Such services should be provided by the client's own advisor. Accordingly, any information in this document cannot be used by any taxpayer for purposes of avoiding penalties under the Internal Revenue Code.

Securities and Insurance Products:
Not Insured by FDIC or any Federal Government Agency
May Lose Value
Not a Deposit of or Guaranteed by any Bank or Bank Affiliate

This material is intended for insurance informational purposes only and is not personal medical advice for clients.
This marketing material includes an expiration date and use of this material must be discontinued as of the expiration date.
FOR INTERNAL USE ONLY. NOT FOR USE WITH THE PUBLIC




Underwriting Considerations:

At the present time, transient cardiomyopathies rated for the residual effect on the heart. If an applicant has fully recovered from this condition and has remained stable for at least 6 months with a normal echocardiogram, an offer at low substandard to standard rates is applied.

To get an idea of how a client with a history of sleep apnea would be viewed in the underwriting process, please feel free to use the attached *Ask "Rx" pert underwriter* for an informal quote.

Title here if needed - Ask "Rx" pert underwriter
(ask our experts)

Producer _____ Phone _____ Fax _____
Client _____ Age/DOB _____ Sex _____

If your client has a diagnosis of Cardiomyopathy, please answer the following:

1. What was the diagnosis? _____
2. When was the disorder first diagnosed: _____
3. Have any of the following symptoms occurred? (check all that apply)

fainting or dizziness	<input type="checkbox"/> yes	when _____	<input type="checkbox"/> no
palpitations	<input type="checkbox"/> yes	when _____	<input type="checkbox"/> no
shortness of breath	<input type="checkbox"/> yes	when _____	<input type="checkbox"/> no
chest pain	<input type="checkbox"/> yes	when _____	<input type="checkbox"/> no
4. Has an echocardiogram been done?
 yes, (please submit a copy of the report)
 no
5. Is your client on any medications?
 yes, please give details _____
 no
6. Has treatment other than medication (please note above) been given? (check all that apply)
 pacemaker
 defibrillator
 heart surgery
7. Has your client smoke cigarettes in the last 12 months?
 yes
 no
8. Does your client have any other major health problems (ex: cancer, etc.)?
 yes, please give details _____
 no

This material is intended for insurance informational purposes only and is not personal medical advice for clients.

This marketing material includes an expiration date and use of this material must be discontinued as of the expiration date.

FOR INTERNAL USE ONLY. NOT FOR USE WITH THE PUBLIC

